



SIZE	SCHEDULE 10							SCHEDULE 40						
	DIMENSIONS							DIMENSIONS						
	A OD	B OD	C	D	E	F	KG	A OD	B OD	C	D	E	F	KG
3/4 X 1/2	26.6	21.3	2.11	2.11	29	29	0.12	26.6	21.3	2.77	2.87	29	29	0.18
1 X 1/2	33.4	21.3	2.11	2.77	38	38	0.20	33.4	21.3	2.77	3.38	38	38	0.23
1 X 3/4	33.4	26.6	2.11	2.77	38	38	0.21	33.4	26.6	2.87	3.38	38	38	0.24
1-1/4 X 1	42.1	33.4	2.77	2.77	48	48	0.34	42.1	33.4	3.38	3.56	48	48	0.44
1-1/2 X 1/2	48.3	21.3	2.11	2.77	57	57	0.39	-	-	-	-	-	-	-
1-1/2 X 3/4	48.3	26.6	2.11	2.77	57	57	0.43	48.3	26.6	2.87	3.68	57	57	0.55
1-1/2 X 1	48.3	33.4	2.77	2.77	57	57	0.46	48.3	33.4	3.38	3.68	57	57	0.60
1-1/2 X 1-1/4	48.3	42.1	2.77	2.77	57	57	0.48	48.3	42.1	3.56	3.68	57	57	0.63
2 X 1/2	60.3	21.3	2.11	2.77	44	64	0.56	-	-	-	-	-	-	-
2 X 3/4	60.3	26.6	2.11	2.77	44	64	0.64	-	-	-	-	-	-	-
2 X 1	60.3	33.4	2.77	2.77	51	64	0.73	60.3	33.4	3.38	3.91	51	64	1.14
2 X 1-1/4	60.3	42.1	2.77	2.77	60	64	0.75	60.3	42.1	3.56	3.91	60	64	1.18
2 X 1-1/2	60.3	48.3	2.77	2.77	60	64	0.77	60.3	48.3	3.68	3.91	60	64	1.23
2-1/2 X 1	73	33.4	2.77	3.05	57	76	1.18	73	33.4	3.38	5.16	57	76	1.67
2-1/2 X 1-1/4	73	42.1	2.77	3.05	67	76	1.18	73	42.1	3.56	5.16	67	76	1.88
2-1/2 X 1-1/2	73	48.3	2.77	3.05	67	76	1.18	73	48.3	3.68	5.16	67	76	2.08
2-1/2 X 2	73	60.3	2.77	3.05	70	76	1.21	73	60.3	3.91	5.16	70	76	2.12
3 X 1	88.9	33.4	2.77	3.05	73	86	1.39	88.9	33.4	3.38	5.49	73	86	2.44
3 X 1-1/4	88.9	42.3	2.77	3.05	73	86	1.60	88.9	42.3	3.56	5.49	73	86	2.71
3 X 1-1/2	88.9	48.3	2.77	3.05	73	86	1.60	88.9	48.3	3.68	5.49	73	86	2.98
3 X 2	88.9	60.3	2.77	3.05	76	86	1.63	88.9	60.3	3.91	5.49	76	86	3.01
3 X 2-1/2	88.9	73	3.05	3.05	83	86	1.69	88.9	73	5.16	5.49	83	86	3.15
4 X 1-1/2	114.3	48.3	2.77	3.05	86	105	2.35	-	-	-	-	-	-	-
4 X 2	114.3	60.3	2.77	3.05	89	105	2.53	114.3	60.3	3.91	6.02	89	105	5.08
4 X 2-1/2	114.3	73	3.05	3.05	95	105	2.59	114.3	73	5.16	6.02	95	105	5.22
4 X 3	114.3	88.9	3.05	3.05	98	105	2.61	114.3	88.9	5.49	6.02	98	105	5.27
5 X 3	141.3	88.9	3.05	3.4	111	124	4.17	141.3	88.9	5.49	6.55	111	124	8.13
5 X 4	141.3	114.3	3.05	3.4	117	124	4.24	141.3	114.3	6.02	6.55	117	124	8.36
6 X 3	168.3	88.9	3.05	3.4	124	143	5.75	168.3	88.9	5.49	7.11	124	143	11.92
6 X 4	168.3	114.3	3.05	3.4	130	143	5.85	168.3	114.3	6.02	7.11	130	143	12.10
6 X 5	168.3	141.3	3.4	3.4	137	143	5.92	168.3	141.3	6.55	7.11	137	143	12.34
8 X 4	219.1	114.3	3.05	3.76	156	178	13.45	-	-	-	-	-	-	-
8 X 5	219.1	141.3	3.4	3.76	162	178	13.77	-	-	-	-	-	-	-
8 X 6	219.1	168.3	3.4	3.76	168	178	14.08	-	-	-	-	-	-	-
10 X 6	273.05	168.3	3.4	4.19	194	216	26.30	-	-	-	-	-	-	-
10 X 8	273.05	219.1	3.76	4.19	194	216	26.30	-	-	-	-	-	-	-
12 X 6	323.9	168.3	3.4	4.57	219	254	34.01	-	-	-	-	-	-	-
12 X 8	323.9	219.1	3.76	4.57	229	254	34.80	-	-	-	-	-	-	-
12 X 10	323.9	273.05	4.19	4.57	241	254	35.59	-	-	-	-	-	-	-

Our range of BUTT WELD Reducing Tee's are made to ANSI B16.9 and MSS SP43. They are available in schedule 10-40 thickness and 316/L or 304/L material grades.

Certificates are available upon request.



DELIVERY AS SOON AS NEXT DAY



EXPERT KNOWLEDGE OF THE INDUSTRY



WORLD CLASS CUSTOMER SERVICE